

STANDARD EQUIPMENT - AIRFRAME

4130 Chromoly Steel welded fuselage and tail frames

**Choice of curved Classic or RANS Signature Tail
Tubular aluminum wing structure**

Stamped aluminum ribs

Sheet aluminum leading edge

Pitot static system

Lexan Windshield

Cabin skylight

Aero-Servo Differential ailerons

Ball bearing aircraft control pulleys

Cable operated rudder and ailerons

Push-pull tube operated elevator

Double stainless steel tail braces

Pre-drilled streamline aluminum struts

Adjustable aft lift strut

4130 streamline jury struts

Exit fairings for control rods and cables

Molded wing tips

26 Gallon fuel system (13 gal. in each wing with sight gauges), Flush Fuel Caps

50" wide curved doors with gas lift cylinders

Deluxe upholstered seats with map pockets, 5" in-flight adjust fore and aft with recline

Interior Finishing Panels

Lap and shoulder belts (3-point)

Dual control sticks and dual rudder pedals

Dual side hydraulic toe brakes

Park Brake & Stainless Steel Braided Brake Lines

Single panel mount throttle

Eyeball Vents (mount in panel)

Electric elevator trim mounted to pilot control stick with indicator on panel

Center mounted 4-position flap handle

2 piece spring aluminum main gear

Hydraulic 6" wheels and brakes

Telescoping steerable nose gear (Trike)

Full swivel steerable tail wheel (Tailwheel)

Sheet Aluminum Baggage Compartment open to cabin

CNC machined Aluminum sheet boot cowl w/ joggle for flush cowling fit up

AN hardware and fasteners

Pre-cut aluminum floor board

Aircraft fabric, tapes, close outs, placards and decals

ENGINE

Rotax 912 ULS (100 hp) available factory new.

Due to currency fluctuation, prices are updated frequently. Please call 785-625-6346 for current pricing.

PROP OPTIONS

- 3-Blade Whirl Wind ground adjustable composite
- 3-Blade Warp Drive ground adjustable w/HP-L hub

BRAKE & TIRE OPTION

The S-20 Raven comes standard with 6" hydraulic wheels and brakes.

TAILDRAGGER - 8.00 x 6 (21" O.D.) Bush mains & 8" Bush tailwheel

- 26" Alaskan Bushwheel option
- 10" Tire option - 8.50x10 (26" O.D.) mains w/10" wheels and brakes
- 10" Tailwheel option

TRIKE - 6.00 x 6 (17" O.D.) mains & 15 x 6.00 x 6 (15" O.D.) nosewheel

FUSELAGE OPTIONS

- Powder coated fuselage, tail frames, & door frames
- Internal corrosion protection

INTERIOR OPTIONS

- Heater - muffler style for 912 ULS
- Heater - radiant style (only with water cooled engines)

UPHOLSTERY OPTIONS

Standard upholstery includes seat covers in gray velvet fabric.

- Non-standard Upholstery Color

- Headrests

OTHER OPTIONS

- Gascolator
- Electric Fuel Pump
- Passenger Seat Electric Elevator Trim
- Canopy Cover
- Carbon Fiber Cowling
- Carbon Fiber Wing Tips
- AVEO LED Strobes
- AVEO TLR Taxi/Landing Lights

PARTIAL KITS

MANUALS & SUPPLIES

(Manuals, log books, raw stock, etc.)

WING KIT

(Main structure, fuel tanks, close outs, ribs, lift struts, jury struts, ailerons, flaps, wing tips, etc.)

FUSELAGE & TAIL KIT

(Fuselage, formers, main gear, wheels and brakes, rudder pedals, tail section, tail wheel, control stick assembly, baggage compartment, boot cowl, COMM & ELT antenna mount plates, floor boards, wear plates, hardware, etc.)

COVERING KIT

(Covering supplies, fabric, closeouts, etc)

FINISHING KIT

(Seats, seatbelts, control covers, placards, windshield, cabin fuel system, etc.)

ENGINE INSTALL KIT

Rotax 912 ULS install kit (less engine)

See info above.

Crating / packing costs are included in pricing. Countries requiring treated wood subject to additional crating fees.

All orders are shipped freight collect unless prior arrangements have been made to pre-pay shipping. Customer pick-ups welcome.